

Sample Final Exam questions.

This study guide is subject to updates until Monday May 1.

Last update: April 28, 2023

The actual final exam will have a mandatory and an optional section. The optional questions will be similar to the ones on the previous (sample) tests, and need to be answered only if you do not want me to re-use your average (adjusted) test score. The list of questions below is supposed to help you prepare for the mandatory part of the final. The usage of books or notes, or communicating with other students will not be allowed. You will have to give the simplest possible answer and show all your work. Below I am only listing questions related to the definitions, theorems, and proofs I expect you to know. There will be also application exercises, similar to the already discussed homework questions.

1. Give a closed-form formula for the Fibonacci number F_n and prove it.
2. Use the closed-form formula for F_n to show that, for large n , the quotient F_{n+1}/F_n approximately equals the golden ratio $\frac{1+\sqrt{5}}{2}$. (I will provide the formula if this is a question.)
3. Prove by strong induction that the Lucas number L_n is given by $L_n = F_{n-2} + F_n$. Explain why this formula shows that L_n counts the tilings of the circular n -board with 1- and 2-tiles.
4. Given the set $[n] = \{1, 2, \dots, n\}$, for some $k \in [n]$ you put an circular permutation on the first k elements and you select a (possibly empty) subset of the remaining $n - k$ elements. Describe the ordinary generating function of the number of pairs of structures you may obtain this way. Which rule will you be using?
5. Write down a closed form formula for the ordinary generating function for the number of (integer) partitions of n with parts size at most k and justify your formula.
6. Write down a closed form formula for the ordinary generating function for the number of (integer) partitions of n with exactly k parts and justify your formula.
7. Using generating functions prove that the number of (integer) partitions of n into odd parts is the same as the number of partitions of n into distinct parts.
8. Express $(-1)^n \binom{1/2}{n}$ as a multiple of the Catalan number C_{n-1} .
9. The Catalan number C_n is defined as the number of sequences a_1, \dots, a_{2n} such that exactly n of the a_i s is 1, the remaining a_i s are -1 , and we have $a_1 + a_2 + \dots + a_m \geq 0$ for all $m \leq n$. Express C_n using binomial coefficients. Prove your formula, using the reflection principle or by considering rotational equivalence classes.
10. Find a recurrence for the Catalan numbers and use it to express their ordinary generating function.
11. Find a closed form formula for $\sum_{n \geq 0} n^2 x^n$.

12. Explain how the formula

$$f(n) = \sum_{k=0}^n \binom{n}{k} \Delta^k f(0) \quad \text{for } n \geq 0,$$

may be used to find a closed form formula for a higher order arithmetic sequence.

13. Using difference tables, find a closed-form formula for $f(n) = 1^2 + 3^2 + \cdots + (2n - 1)^2$.

14. Prove the formula

$$\Delta^m f(n) = \sum_{k=0}^m (-1)^k \binom{m}{k} f(n + m - k).$$

15. Given a function $f : \mathbb{N} \rightarrow \mathbb{R}$, write $\Delta^4 f(n)$ as a linear combination of $f(n)$, $f(n + 1)$, $f(n + 2)$, $f(n + 3)$ and $f(n + 4)$.

16. Write $x^4 - 2x$ as a linear combination of the polynomials $(x)_4$, $(x)_3$, $(x)_2$, $(x)_1$ and $(x)_0$. (Tables of the Stirling numbers of both kinds will be provided.)

17. Find the ordinary generating function $f_k(x) = \sum_{n=0}^{\infty} S(n, k)x^n$ of the Stirling numbers of the second kind $S(n, k)$. Prove your formula.

18. Find the exponential generating function $g_k(x) = \sum_{n=0}^{\infty} S(n, k)x^n/n!$ of the Stirling numbers of the second kind $S(n, k)$. Prove your formula.

19. A football coach splits the team into to groups. Each group has to form a line and each member of the second group must put on an orange, a yellow or a white shirt. Write the exponential generating function for the number of ways all this can happen.

20. Use the recurrence for the Bell numbers to write differential equation for their exponential generating function and find the solution of this differential equation.

21. Write a recurrence for the derangement numbers D_n (that is, the number of fixed point free permutations of $[n]$). Use this recurrence to write a differential equation for their exponential generating function. Solve the differential equation.

22. n soldiers are lined up. We create a certain number of teams by breaking the line of soldiers into parts, and we select a leader from each team. Write the ordinary generating function for the number of ways to perform the selection. *Do not simplify!*

23. We form a certain number of teams from n soldiers (who were not lined up). We arrange the teams in a cyclic order and we select a (possibly empty) subset of each team. Find the exponential generating function for the number of ways to perform this operation. *Do not simplify!*

Good luck.

Gábor Heteyi