## Sample Test 2

Name\_\_\_\_\_

In the real test you will have 10 questions and the following rules:

You have 50 minutes to complete the test below. The usage of books or notes, or communication with other students is not allowed. Ask me if you have questions.

This is a multiple choice test. You do not have to justify your answer. If , however, you are not sure that your selection is correct, put a star (\*) in front of the question number, and include your calculations on an attached sheet. I will look at an attached calculation only if I see a star in front of the question number.

-If you mark an incorrect answer but your calculations contain only minor mistakes, you will get up to 75% credit for the problem. -Beware: if you instruct me to look at a severely incorrect calculation, you will lose at least 50% of the credit, even if by chance you mark the correct answer. (No credit is given for an incorrect answer and totally incorrect calculations.)

You get full credit if you mark the correct answer, and mark no star, or if you mark the correct answer, express doubt by marking a star, but I find your calculations perfectly correct.

## Solve the equation.

1) $ b+9  - 3 = 6$ A) {0}	B) {-18, 0}	C) No solution	D) {0, 18}
2) $\sqrt{2x+3} - \sqrt{x+1} = 1$ A) {3}	B) {-3, -1}	C) No solution	D) {3, -1}

Solve the inequality.

 3)  $|h - 2| + 5 \le 14$  

 A)  $7 \le h \le 14$  

 B) No solution

 C)  $-7 \ge h \ge 11$  

 D)  $-7 \le h \le 11$  

 4)  $|x - 4| \le 0$  


 A) x = 4 

 B) x < 4 

 C) No solution

 D) x = -4 

Solve the inequality. Graph the solution set.



Solve the inequality, then graph its solution. Use interval notation.

6) $p^2 - 7p + 10 > 0$	lution. Use interval notation	•				
-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1						
A) (2, 5)						
$(-9)^{-9} + (-1)^{-9} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)^{-1} + (-1)$						
B) $(-\infty, 2) \cup (5, \infty)$						
-9 -8 -7 -6 -5 -4 -3 -2 -1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
C) (5, ∞)						
D) (-∞, 2)						
← + + + + + + + + + + + + + + + + +						
Solve the inequality. Write answer in i	interval notation.					
$7) \ \frac{6x}{5-x} \ge 3x$						
A) [5, ∞)	B) $[0, 3] \cup [5, \infty)$	C) $(-\infty, 3] \cup [5, \infty)$	D) (-∞, 0] ∪ [3, 5)			
Name the quadrant in which the point $(5, 0)$	t is located.					
8) (5, -9) A) I	B) II	C) III	D) IV			
List the intercepts for the equation.						
9) $x^2 + y - 25 = 0$						
A) (0, 25), (-5, 0), (5, 0)	B) (0, -5), (0, 5)	C) (-5, 0), (5, 0)	D) (25, 0), (0, -5), (0, 5)			
Find the slope of the line that goes through the pair of points. 10) (-2, -4) and (6, 9)						
A) Undefined	B) 5	C) $1\frac{8}{5}$	D) $1\frac{5}{8}$			
		5	8			
Write an equation in standard form for a line satisfying the given conditions. $\Lambda$						
11) Through (2, 4); $m = -\frac{4}{7}$						
A) $7x + 4y = -36$	B) $4x - 7y = 36$	C) $4x + 7y = 36$	D) $4x + 7y = -36$			
Write the equation in slope-intercept form.						
12) $5x - 3y = 4$ A) $y = \frac{5}{3}x - \frac{4}{3}$	B) - 3 4	() = 5 + 4				
A) $y = \frac{1}{3}x - \frac{1}{3}$	B) $y = \frac{3}{5}x + \frac{4}{5}$	C) $y = \frac{5}{3}x + \frac{4}{3}$	D) $y = 5x - 4$			
Write an equation for the line.						
13) Through $(3, 12)$ , parallel to $3x$	•	() $()$ $()$ $()$ $()$ $()$ $()$ $()$				
A) $3x + 8y = -87$	B) $3x - 8y = -87$	C) $-8x + 3y = 12$	D) $3x - 8y = -23$			

## MATH 1100-004

14) Through (1, 8) perpe	ndicular to $-7x - 2y = -25$				
A) $-2x - 7y = -25$	B) $-7x + 2y = 54$	C) $-2x + 7y = 54$	D) $-2x - 7y = 54$		
Use the distance formula to fir	nd the distance between the p	pair of points.			
15) (5, -5) (7, -1)					
A) 12	B) 2	C) 2√5	D) 12√3		
Find the indicated point.					
16) Find the midpoint of	the line segment whose endp	oints are (5x, 1) and (6x, 9).			
A) (11x, 10)	B) (x, 8)	C) $(5x, \frac{11}{2})$	D) $(\frac{11}{2}x, 5)$		
Find the center and the radius	of the circle.				
17) $x^2 - 12x + 36 + y^2 - 8$	8y + 16 = 16				
A) (-6, -4), r = 16	B) (-4, -6), r = 16	C) (6, 4), r = 4	D) (4, 6), r = 4		
Decide whether the relation defines a function.					
18) {(-5, -4), (-1, 2), (1, -5)	5), (1, 3)}				
A) Not a function		B) Function			
Find the requested function value.					
19)					
If $f(x) = \begin{cases} x^3 \\ 2x + 5 \end{cases}$	if x < 0 if x \ge 0 find f(-2)				

A) -8 B) 8 C) 1 D) 9

Answer Key Testname: STEST2.TST

1) B 2) D 3) D 4) A 5) C 6) B 7) D 8) D 9) A 10) D 11) C 12) A 13) B 14) C 15) C 16) D 17) C 18) A

19) A

MATH 1100-004